

Name: Jiangxi Wellanimal Gene Technology Co., Ltd.
Address: 5F, Building 2, Ganzhou National High-level Talents
Science and Innovation Park(Phase II), 1 Wudang Mountain Road,
Zhanggong District High-tech zone, Ganzhou City, Jiangxi Province.

Telephone: 400-6723-898 E-mail: biolight_info@163.com Website: http://www.wellanimal.com

Anti-CDH2 Antibody, Rabbit Polyclonal

Synonyms: CDw325, CD325, CDHN, CDH2, Cadherin 2 Type 1, N-Cadherin

Basic Info

Catalog

PA00138HuA10

Host

Rabbit

Conjugate

None

Size

100 μ L

Concentration

0.5 mg/mL

Physical State

Liquid

Species Reactivity

Human/Mouse/Rat

Immunogen

Recombinant human CDH2 protein, fragment

Asp160~Phe497;

UniprotKB: P19022

Purification

Antigen Affinity Chromatography

Applications

WB

Property

Form & Buffer: Supplied in PBS, 50% glycerol, PH7.4.

Specificity / Sensitivity: Anti-CDH2 Antibody, Rabbit Polyclonal

recognizes endogenous levels of total CDH2 protein.

Usage and

Storage

Shipped at 4° C.

Store at $4^{\circ}C$ for frequent use.

Aliquot and store at -20℃ for 12 months.

Avoid repeated freezing/thawing and violent shaking.

Please centrifuge it, before using.

Applications

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB: $0.5 \sim 5 \mu \text{ g/mL}$ IF: $5 \sim 20 \mu \text{ g/mL}$ IHC: $5 \sim 20 \mu \text{ g/mL}$ ICC: $5 \sim 20 \mu \text{ g/mL}$

QC Data




Figure 1. Application in WB

Western blot analysis of extracts of various cell lines and tissues, using CDH2 antibody (PA00138HuA10) at 1 µ g/mL. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Blocking buffer: 5% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 2 s.



For Research Use Only!