

Name: Jiangxi Wellanimal Gene Technology Co., Ltd.
Address: 5F, Building 2, Ganzhou National High-level Talents
Science and Innovation Park(Phase II), 1 Wudang Mountain Road,
Zhanggong District High-tech zone, Ganzhou City, Jiangxi Province.

Telephone: 400-6723-898 E-mail: biolight\_info@163.com Website: http://www.wellanimal.com

## Anti-F3 Antibody, Rabbit Polyclonal

Synonyms: CD142, FIII, F3, TFA, Thromboplastin

Basic Info

Catalog

PA00400HuA10

Host

Rabbit

Conjugate

None

Size

100 μ L

Concentration

1.0 mg/mL

Physical State

Liquid

Species Reactivity

Human

Immunogen

Recombinant human F3 protein,

fragment Ser33~glu251; UniprotKB:

P13726

Purification

Antigen Affinity Chromatography

Applications

WB

**Property** 

Form & Buffer: Supplied in PBS, 50% glycerol, PH7.4.

Specificity / Sensitivity: Anti-F3 Antibody, Rabbit Polyclonal

recognizes endogenous levels of total F3 protein.

Usage and

Storage

Shipped at  $4^{\circ}$ C.

Store at 4°C for frequent use.

Aliquot and store at -20℃ for 12 months.

Avoid repeated freezing/thawing and violent shaking.

Please centrifuge it, before using.

Applications

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


WB:  $0.5 \sim 5 \mu \text{ g/mL}$ 

IHC:  $5\sim20 \mu \text{ g/mL}$ 

IF: 5~20 μ g/mL

ICC:  $5\sim20 \,\mu\,\text{g/mL}$ 

QC Data



## Figure 1. Application in WB

Western blot analysis of extracts of various cell lines, using F3 antibody (PA00400HuA10) at  $1\,\mu\,g/mL$ . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Blocking buffer: 5% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30 s.



For Research Use Only!